

AQUATO®

THE NEW GENERATION



K-PILOT 2.4

K-PILOT 2.4

Digital, convenient and modular.
THE NEW GENERATION OF K-PILOT!

The completely redesigned K-PILOT 2.4 will soon replace the current control systems. The focus of development was on modularity and digitalisation for a durable and future-proof product!

OUR ALL-ROUNDER

SSB®

SBR

MBBR

FB



EXTERNAL VALVE

The rotary valve of the K-PILOT 2.4 is placed outside the housing. This makes access and maintenance work simple.

Alternatively, solenoid valves can be controlled as well!



WI-FI DIRECT

The K-PILOT 2.4 offers a Wi-Fi connection, allowing users to adjust the control parameters via web interface.

Use your mobile phone or tablet for manual operations, configurations, software uploads and download log files.



IOT-MODULE

The K-PILOT 2.4 can be easily upgraded for telecontrol with a plug-in IoT module.

EXPANDABLE

Due to integration of the Modbus protocol, the K-PILOT 2.4 can be expanded with a variety of accessory components in future!



AQUATO® Umwelttechnologien GmbH

Ernstmeierstr. 24 fon +49 5221 10219-0 info@aquato.de
32052 Herford fax +49 5221 10219-20 www.aquato.de